

## EAST Search History

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp          |
|-------|------|--|---|------------------|---------|---------------------|
| L1    | 7    | (henricus near3 thuis).in. or (cornelis near3 jeckmans).in.  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/02/17<br>15:44 |
| L2    | 3069 | ((screen or mesh) near5 (metal or metallic or nickel or Ni or plated or electroplat\$6 or electroform\$6 or electrolyt\$6 or copper or Cu)) same ((higher or lower or thicker or thinner or uneven) near3 (region or portion or wall or thick or thickness or thicknesses))          | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/02/17<br>15:49 |
| L3    | 3070 | ((screen or mesh) near5 (metal or metallic or nickel or Ni or plated or electroplat\$6 or electroform\$6 or electrolyt\$6 or copper or Cu)) same ((higher or lower or thicker or thinner or uneven) near3 (region or portion or wall or thick or thickness or thicknesses or dykes)) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2008/02/17<br>15:50 |

|    |      |   |  |    |     |                  |
|----|------|---|--|----|-----|------------------|
| L4 | 257  | ((screen or mesh) near5 (metal or metallic or nickel or Ni or copper or Cu)) same (plated or plating or electroplat\$6 or electroform\$6 or electrolyt\$6) same ((higher or lower or thicker or thinner or uneven) near3 (region or portion or wall or thick or thickness or thicknesses or dykes)) | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2008/02/17 15:52 |
| L5 | 315  | (205/75).OCLS.  | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/02/17 16:25 |
| L6 | 1328 | (428/596,597).OCLS.   | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/02/17 16:42 |
| L7 | 501  | ((screen or mesh) near5 (metal or metallic or nickel or Ni or copper or Cu)) same (plated or plating or electroplat\$6 or electroform\$6 or electrolyt\$6) same ((channel\$4 or groov\$6))  | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2008/02/17 17:10 |
| L8 | 26   | ((screen or mesh) near5 (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous)) same ((thicker or thinner) near3 (nodes or cross or crossed or crossing or overlap\$5 or intersection\$4))   | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON  | 2008/02/17 17:23 |

|     |     |  |  |    |    |                  |
|-----|-----|--|--|----|----|------------------|
| L9  | 119 | ((screen or mesh) near5 (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous)) same ((thickness) near3 (nodes or cross or crossed or crossing or overlap\$5 or intersection\$4))   | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 17:26 |
| L10 | 288 | ((screen or mesh) near5 (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous)) same (calender\$6)  | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 17:39 |
| L11 | 66  | ((screen or mesh) near5 (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous)) near50 ((reinforc\$7) near5 (nodes or cross or crossed or crossing or overlap\$5 or intersection\$4))                                       | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 17:45 |
| L12 | 68  | ((screen or mesh) near5 (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous)) near50 ((reinforc\$7 or thickened or thicker or thickening) near5 (nodes or cross or crossed or crossing or overlap\$5 or intersection\$4)) | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 17:46 |

|     |     |   |  |    |    |                  |
|-----|-----|---|--|----|----|------------------|
| L13 | 68  | ((screen or mesh) near5 (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous)) near50 ((reinforc\$7 or thickened or thicker or thickening) near5 (nodes or cross or crossover\$6 or crossed or crossing or overlap\$5 or intersection\$4))  | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 17:46 |
| L14 | 119 | ((screen or mesh) near5 (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous)) near50 ((reinforc\$7 or thickened or thicker or thickening) near10 (nodes or cross or crossover\$6 or crossed or crossing or overlap\$5 or intersection\$4)) | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 17:50 |
| L15 | 51  | l14 not l13   | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 17:51 |
| L16 | 129 | ((screen or mesh) near5 (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous)) near50 ((reinforc\$7 or thickened or thicker or thickening) near10 (nodes or cross or crossover\$6 or crossed or crossing or overlap\$5 or intersect\$6))    | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 17:53 |

|     |     |   |   |    |    |                     |
|-----|-----|---|---|----|----|---------------------|
| L17 | 10  | l16 not l14   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/02/17<br>17:53 |
| L18 | 19  | (flat\$6 near5 (screen or mesh)) near50<br>((reinforc\$7 or thickened or thicker or thickening or thinner) near10<br>(nodes or cross or crossover\$6 or crossed or crossing or overlap\$5 or intersect\$6)) | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/02/17<br>17:56 |
| L19 | 17  | (flat\$6 near5 (screen or mesh)) near50<br>((groov\$5 or crimp \$6) near10 (nodes or cross or crossover\$6 or crossed or crossing or overlap\$5 or intersect\$6))   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/02/17<br>17:59 |
| L20 | 595 | ((screen or mesh)) near10 ((groov\$5 or crimp\$6) near10<br>(nodes or cross or crossover\$6 or crossed or crossing or overlap\$5 or intersect\$6))  | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/02/17<br>18:01 |
| L21 | 2   | ((nonwoven or (non-woven)) near3<br>(screen or mesh)) near30 ((groov\$5 or crimp\$6) near5<br>(wire))   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/02/17<br>18:26 |
| L22 | 281 | (((nonwoven or (non-woven)) near3<br>(screen or mesh)) near20 (wire))   | US-PGPUB;<br>USPAT;<br>USOCR; EPO;<br>JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2008/02/17<br>18:27 |

|     |     |  |  |    |    |                  |
|-----|-----|--|--|----|----|------------------|
| L23 | 30  | ((perforat\$6 or multiperforat\$6) near5 (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous) near50 ((reinforc\$7 or thickened or thicker or thickening or thinner) near10 (nodes or cross or crossover\$6 or crossed or crossing or overlap\$5 or intersection\$4))                           | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 18:34 |
| L24 | 110 | ((perforat\$6 or multiperforat\$6) near5 (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous) near50 ((reinforc\$7 or thickened or thicker or thickening or thinner or groov\$6 or channel\$4) near10 (nodes or cross or crossover\$6 or crossed or crossing or overlap\$5 or intersection\$4)) | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 18:36 |
| L25 | 920 | ((perforat\$6 or multiperforat\$6) near5 (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous) near10 ((groov\$6 or channel\$4))   | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 18:40 |

|     |      |  |  |    |    |                  |
|-----|------|--|--|----|----|------------------|
| L26 | 45   | ((sheet or plate or foil) near5 (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous)) near50 (((groov\$6 or channel \$4) near5 (intersect \$6 or cross or crossing or crossed)) near5 (hole or perforat\$7))                | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 19:01 |
| L27 | 2651 | (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous or aluminum or alloy or superalloy) and (((groov\$6 or channel \$4) near5 (intersect \$6 or cross or crossing or crossed)) near5 (hole or perforat\$7))                 | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 19:06 |
| L28 | 63   | (filter near20 (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous or aluminum or alloy or superalloy)) and (((groov\$6 or channel \$4) near5 (intersect \$6 or cross or crossing or crossed)) near5 (hole or perforat\$7)) | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 19:07 |
| L29 | 60   | l28 not l26  | US_PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 19:08 |

|     |      |   |  |    |    |                  |
|-----|------|---|--|----|----|------------------|
| L30 | 269  | (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous or aluminum or alloy or superalloy) and (((plate or sheet or foil) near10 (((groov\$6 or channel\$4) near5 (intersect\$6 or cross or crossing or crossed)) near5 (hole or perforat\$7))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 19:09 |
| L31 | 1017 | I25 or I26 or I28   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 19:10 |
| L32 | 224  | I30 not I31   | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 19:10 |
| L33 | 9    | (metal or metallic or nickel or Ni or copper or Cu or steel or iron or ferrous or aluminum or alloy or superalloy) and (((plate or sheet or foil) near10 (((ridge) near5 (intersect\$6 or cross or crossing or crossed)) near5 (hole or perforat\$7)))                  | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/17 19:16 |

2/17/08 7:17:44 PM

C:\ Documents and Settings\ JZimmerman\ My Documents\ EAST\ Workspaces\ default1.  
w sp